

Door locks



TRACK K-150/SAGA (AL) | Series: 150/SAGA | Capacity: 150 kg | Material: anodized aluminium (25 μ) | Length: 2000mm, 3000mm, 4000mm, 6000mm

Sliding door track for 150/SAGA series sliding door systems. Available track lengths: 2 m, 3 m, 4 m and 6 m. Possibility to anodize in different colours. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.



TRACK K-150/SAGA 6 M (AL) BLACK | Series: 150/SAGA | Capacity: 150 kg | Material: anodized aluminium (25 μ)

Black sliding door track for 150/SAGA series sliding door systems. Track length 6 meters. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.

Door locks



HANGER MP-150/SAGA, AISI 316 L | Series: 150/SAGA | Capacity: 150 kg/pair | Material: body: AISI 316 L stainless steel, wheel: nylon coated ball bearing (AISI 440 C)

Sliding door hanger for metal sliding doors for 150/SAGA series sliding door systems. The Hangers and fixing plates specially designed wheels guarantee excellent and silent sliding action. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.



PLATE PLP-150/SAGA, TOP FIXING, AISI 316 L | Series: 150/SAGA | Fixing: top | Material: AISI 316 L stainless steel | Door thickness: min. 20 mm

Sliding door top fixing plate for 150/SAGA series sliding door systems. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.

LOW HEADROOM PLATE LHP-150/SAGA, AISI 316

L | Series: 150/SAGA | Capacity: 100 kg/pair | Fixing: top | Material: body: AISI 316 L stainless steel | Door thickness: 26-62 mm | Additional info: height adjustment 8 mm



Sliding door low headroom plate for 150/SAGA series sliding door systems. With the low headroom plate you can adjust the gap between the track and the door. Plates height adjustment is 8 mm. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.

SYNCRO DUO SD-150/SAGA | Series: 150/SAGA | Capacity: 150 kg/door



Syncro duo for double doors for 150/SAGA series sliding door systems. The Syncro duo enables two doors to open simultaneously, while moving one door. This is useful in big doorways, where heavy double doors can be moved easily and effortlessly. Set for double doors for max 1750 mm door widths, for max 3500 mm doorways. Sets also available for different door sizes and doorways. Ask more about these from our sales. Set includes Hangers (4 pcs) Stops (2 pcs) Wire (15 m) and the tools and screws for the assembly In addition you need the track, plates, bottom guiding and if need wall brackets. Check out similar products: 10168 Syncro duo SDS-150/SAGA, preinstalled and 20114 Syncro duo SD-75.

SYNCRODUO SDS-150/SAGA (PREINSTALLED) | Series: 150/SAGA | Capacity: 150 kg



Preinstalled Syncro duo for double doors for 150/SAGA series sliding door systems. The Syncro duo enables two doors to open simultaneously, while moving one door. This is useful in big doorways, where heavy double doors can be moved easily and effortlessly. Set for double doors for max 750 mm door widths, for max 1500 mm doorways. Sets also available for different door sizes and doorways. Ask more about these from our sales. This system is installed already inside the track, so the assembly is easy and it does not require any special expertise. There are two preinstalled sets, with one (10168) or two (10169) Soft closes. Set includes (depending on how many Soft closes the set has) Track (3 m) Soft Close (1-2 pcs) Hangers (2-3 pcs) Stops (2 pcs) Wire (6 m) End plates (pair) and the adjustment tool. In addition you need plates, bottom guiding and if need wall brackets. Check out similar products: 10165 Syncro duo SD-150/SAGA and 20114 Syncro duo SD-75.

WALL BRACKET SK-150/SAGA BLACK | Series: 150/SAGA | Capacity: 150 kg | Fixing: wall | Bracket interval: 500 mm | Material: Aluminium | Door thickness: max. 45 mm



Black sliding door wall bracket for 150/SAGA series sliding door system. This bracket is easy to slide onto the tracks groove and adjust according to bracket interval. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.

Door locks



END CAP PLH-150/SAGA (PAIR), GREY | Series: 150/SAGA | Material: Nylon

Sliding door end cap for 150/SAGA series sliding door systems. The end cap finishes the tracks look so that no additional pelments or Cover plates are needed. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. this series also includes a Soft Close mechanism, self closing mechanism, low headroom plate and a Syncro duo as special features.



END CAP PLM-150/SAGA (PAIR), BLACK | Series: 150/SAGA | Material: Nylon

Sliding door end cap for 150/SAGA series sliding door systems. The end cap finishes the tracks look so that no additional pelments or Cover plates are needed. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. this series also includes a Soft Close mechanism, self closing mechanism, low headroom plate and a Syncro duo as special features.

SOFT CLOSE WITH ONE HANGER

OHP-150/SAGA | Series: 150/SAGA | Capacity: 150 kg | Material: body: AISI 316 L stainless steel, wheel: nylon coated ball bearing (AISI 440 C)



Sliding door Soft Close for 150/SAGA series sliding door systems. With the Soft Close feature, doors will close and open smoothly and softly. This Soft Close is assembled completely inside the track. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features.

BOTTOM GUIDE AOL-10/SAGA, AISI 316 L, Ø 12

MM | Series: 150/SAGA | Fixing: floor | Material: body: AISI 316 L stainless steel, roller: plastic | Additional info: ø 12 mm bearing



Sliding door floor fixing bottom guide for 150/SAGA series sliding door systems. A bottom guide is essential for the correct functionality of the door and it ensures the faultless and safe operation of the door as well as prevents the door from swinging. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. this series also includes a Soft Close mechanism, self closing mechanism, low headroom plate and a Syncro duo as special features.

BOTTOM GUIDE AO-10/SAGA, AISI 316 L Ø 12

MM | Series: 150/SAGA | Fixing: wall | Material: body: AISI 316 L stainless steel, roller: plastic | Additional info: ø 12 mm bearing



Sliding door wall fixing bottom guide for 150/SAGA series sliding door systems. A bottom guide is essential for the correct functionality of the door and it ensures the faultless and safe operation of the door as well as prevents the door from swinging. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. this series also includes a Soft Close mechanism, self closing mechanism, low headroom plate and a Syncro duo as special features.

BOTTOM GUIDE AOL-150/SAGA | Series:

150/SAGA | Fixing: floor | Material: Nylon | Additional info: ø 6 mm



Sliding door floor fixing bottom guide for 150/SAGA series sliding door systems. A bottom guide is essential for the correct functionality of the door and it ensures the faultless and safe operation of the door as well as prevents the door from swinging. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. this series also includes a Soft Close mechanism, self closing mechanism, low headroom plate and a Syncro duo as special features.

Door locks



TRACK K-300/SAGA (AL) | Series: 300/SAGA | Capacity: 300 kg | Material: anodized aluminium (25 µ) | Length: 2000mm, 3000mm, 4000mm, 6000mm

Sliding door track for 300/SAGA series sliding door systems. Available track lengths: 2 m, 3 m, 4 m and 6 m. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.



HANGER MP-300/SAGA, AISI 316 L | Series: 300/SAGA | Capacity: 300 kg/pair | Material: body: AISI 316 L stainless steel, wheel: nylon coated ball bearing (AISI 440 C)

Sliding door hanger sliding doors for 300/SAGA series sliding door systems. The Hangers and fixing plates specially designed wheels guarantee excellent and silent sliding action. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.

Door locks

WALL BRACKET SK-150/300/SAGA | Series: SAGA | Material: body: anodized aluminium (25 µ), button: rubber



Sliding door wall bracket for 150/SAGA and 300/SAGA series sliding door systems. This bracket is easy to slide onto the tracks groove and adjust according to bracket interval. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.

STOP KP-150/300/SAGA | Series: SAGA | Material: body: anodized aluminium (25 µ), button: rubber



Sliding door track stop for 150/SAGA and 300/SAGA series sliding door systems. The track stop stops the hanger inside the track and keeps the hanger inside the track. 150/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. This series is mainly used in apartments and commercial spaces. Due to its stylish design it can also be used in luxury locations. SAGA 150 series includes a Soft Close mechanism, a self closing mechanism, a low headroom plate and a Syncro duo as special features. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.

Door locks



END CAP PLH-300/SAGA (PAIR), GREY | Series: 300/SAGA | Material: Nylon

Sliding door end cap for 300/SAGA series sliding door systems. The end cap finishes the tracks look so that no additional pelments or Cover plates are needed. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.



END CAP PLM-300/SAGA (PAIR), BLACK | Series: 300/SAGA | Material: Nylon

Sliding door end cap for 300/SAGA series sliding door systems. The end cap finishes the tracks look so that no additional pelments or Cover plates are needed. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.



BOTTOM GUIDE AOL-12/SAGA, AISI 316 L, Ø 19 MM | Series: 300/SAGA | Fixing: floor | Material: body: AISI 316 L stainless steel, roller: plastic | Additional info: ø 19 mm bearing

Sliding door floor fixing bottom guide for 300/SAGA series sliding door systems. A bottom guide is essential for the correct functionality of the door and it ensures the faultless and safe operation of the door as well as prevents the door from swinging. 300/SAGA series is used in interior sliding door systems and due to its corrosion resistance it can also be used in exterior sliding door systems. The series is mainly used in galleries, auditoriums and foyers.